

IW-R200

Open-Bay 2U Server Chassis



Features & Benefits

- Single or redundant power supply options
- Utilized 5.25" x 2 optical bays supported In Win storage kits
 - Supports low profile or riser card rear window
- Tool-less design top cover for easy maintenance

IW-R200

Open-Bay 2U Server Chassis




Front view




Rear view



Inside view



Features



- ◆ Accommodates up to external: 5.25" x 2, slim ODD x 1, slim FDD x 1, internal: 3.5" x 3



- ◆ Flexible 5.25" ODD cage for versatile storage configuration




- ◆ Supports single or redundant power supply (Watt up to 500W)



- ◆ Supports 80 x 25 mm tool-free middle fan x 3 for optimized cooling



- ◆ Intrusion switch



- ◆ Tool-free top cover




- ◆ Optional railing system

IW-R200

Open-Bay 2U Server Chassis



Dimensions (DxW)



Specifications

Standard	EIA-RS310D
M/B Form Factor	ATX (12" x 9.6"), CEB (12" x 10.5")
Dimensions (D x W x H) w/o Front Panel	596.9 x 482.6 x 88.9 mm (23.5" x 19" x 3.5")
Drive Bay	External: 5.25" x 2, Slim ODD x 1, Slim FDD x 1 Internal: 3.5" x 3
Power Supply	Supports <ul style="list-style-type: none">Form Factor: 2U Single or 2U 1+1 RedundantWatt up to 500W
Indicator	Power Status, HDD, LAN Activity LEDs
Front Control Panel	Power Switch, System Reset, USB 2.0 x 2
Chassis Security	Intrusion Switch
Cooling Fan	Supports 80 x 25 mm PWM middle fan x 3
Expansion Slot	Low Profile PCI Slot x 7 or Full Height PCI Slot x 3 (via riser card)
Material	Material: SGCC Thickness: 1.2 mm
Packaging Dimensions (D x W x H)	807 x 631 249 mm
Shipping Information	Net Weight: 7.6 kg Gross Weight: 12 kg Cubic Feet: 4.47 Container Info <ul style="list-style-type: none">Single Packing: 20': 200pcs, 40': 400pcs, 40'H: 450pcs

Optional

FAN | POWER SUPPLY | SLIDE RAIL | OTHERS |

* For further information on accessories, please visit our website [OPTIONS](#)

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make final modifications.

* Above image for reference only. All hardware components are not included.